


2 Panel Sliding French Doors

MO (mm)	4-11 1/2 (1511)	5-11 1/2 (1816)	7-11 1/2 (2426)
RO (mm)	5-0 (1524)	6-0 (1829)	8-0 (2438)
Frame Size (mm)	4-11 (1499)	5-11 (1803)	7-11 (2413)
DLO (mm)	22 3/8 (568)	28 3/8 (721)	40 3/8 (1026)

6-7 3/4 (2026) 6-8 (2032) 6-7 1/2 (2019) 6-7 3/32 (1704)						
ISFD 5065 XO	ISFD 5065 OX	ISFD 6065 XO	ISFD 6065 OX	ISFD 8065 XO	ISFD 8065 OX	
6-10 1/4 (2089) 6-10 1/2 (2096) 6-10 (2083) 6-9 19/32 (1768)						
ISFD 5068 XO	ISFD 5068 OX	ISFD 6068 XO	ISFD 6068 OX	ISFD 8068 XO	ISFD 8068 OX	
7-2 1/4 (2191) 7-2 1/2 (2197) 7-2 (2184) 7-3 19/32 (1869)						
ISFD 5070 XO	ISFD 5070 OX	ISFD 6070 XO	ISFD 6070 OX	ISFD 8070 XO	ISFD 8070 OX	
7-11 3/4 (2432) 8-0 (2438) 7-11 1/2 (2426) 8-3 3/32 (2111)						
ISFD 5080 XO	ISFD 5080 OX	ISFD 6080 XO	ISFD 6080 OX	ISFD 8080 XO	ISFD 8080 OX	

Direct Glaze Transom Over Sliding French Door


MO (mm)	5-11 1/2 (1816)
RO (mm)	6-0 (1829)
Frame Size (mm)	5-11 (1803)



8-2 (2489)
8-2 1/4 (2496)
8-1 3/4 (2483)


Round Top Over Sliding French Door

MO (mm)	5-11 1/2 (1816)
RO (mm)	6-0 (1829)
Frame Size (mm)	5-11 (1803)




8-4 1/4 (2546)
8-4 1/2 (2553)
8-4 (2540)

9-9 3/4 (2991)
9-10 (2997)
9-9 1/2 (2985)




Construction Details



MULTIPLE ASSEMBLIES

Multiple assembly units can be factory mullered up to 1 unit wide by 2 units high. Maximum Rough Opening not to exceed 72" x 100 1/2". Field mull kits available for up to 3 units wide by 2 units high not to exceed 110" x 112". True Half Round transoms are available field mullered only. Structural mullion reinforcement is required for some assemblies. Please consult your local Integrity representative for more information.



Sliding French Door information shown is available April 2016. For pre 2016 product info please contact Customer Support.





*This product is only available field mullered.

SLIDING FRENCH DOOR

3 Panel Sliding French Doors

MO (mm)	7-5 (2261)	8-11 (2718)
RO (mm)	7-5 1/2 (2273)	8-11 1/2 (2731)
Frame Size (mm)	7-4 1/2 (2248)	8-10 1/2 (2705)
DLO (mm)	22 3/8 (568)	28 3/8 (721)
6-7 3/4 (2026)		
6-8 (2032)		
6-7 1/2 (2019)		
67 3/32 (1704)		
6-10 1/4 (2089)		
6-10 1/2 (2096)		
6-10 (2083)		
69 19/32 (1768)		
7-2 1/4 (2191)		
7-2 1/2 (2197)		
7-2 (2184)		
73 19/32 (1869)		
7-11 3/4 (2432)		
8-0 (2438)		
7-11 1/2 (2426)		
83 3/32 (2111)		

Construction Details



Sliding French Door Direct Glaze Transom

MO (mm)	5-11 1/2 (1816)	8-11 (2718)
RO (mm)	6-0 (1829)	8-11 1/2 (2731)
Frame Size (mm)	5-11 (1803)	8-10 1/2 (2705)
1-4 (406)		
1-4 1/4 (413)		
1-3 3/4 (400)		


MULTIPLE ASSEMBLIES

Multiple assembly units can be factory mulled up to 1 unit wide by 2 units high. Maximum Rough Opening not to exceed 72" x 100 1/2". Field mull kits available for up to 3 units wide by 2 units high not to exceed 110" x 112". True Half Round transoms are available field mulled only. Structural mullion reinforcement is required for some assemblies. Please consult your local Integrity® representative for more information.

Sliding French Door information shown is available April 2016. For pre 2016 product info please contact Customer Support.

4 Panel Sliding French Doors

MO (mm)	9-9 1/2 (2985)	11-9 1/2 (3594)	15-9 1/2 (4813)
RO (mm)	9-10 (2997)	11-10 (3607)	15-10 (4826)
Frame Size (mm)	9-9 (2972)	11-9 (3581)	15-9 (4801)
DLO (mm)	22 3/8 (568)	28 3/8 (721)	40 3/8 (1026)



Construction Details

