



ULTIMATE SLIDING FRENCH DOOR

6-6R HEIGHT

Clad M.O. (mm)	2-7 1/8 (791)	3-1 1/8 (943)	4-1 1/8 (1248)	4-11 1/2 (1511)	5-11 1/2 (1816)	7-11 1/2 (2426)
Wood M.O. (mm)	2-9 3/4 (857)	3-3 3/4 (1010)	4-3 3/4 (1314)	5-2 1/8 (1578)	6-2 1/8 (1883)	8-2 1/8 (2492)
R.O. (mm)	2-7 5/8 (803)	3-15/8 (956)	4-15/8 (1260)	5-0 (1524)	6-0 (1829)	8-0 (2438)
Frame Size (mm)	2-6 5/8 (778)	3-0 5/8 (930)	4-0 5/8 (1235)	4-11 (1499)	5-11 (1803)	7-11 (2413)
Glass Size (mm)	20 3/32 (510)	26 3/32 (663)	38 3/32 (968)	22 1/4 (565)	28 1/4 (718)	40 1/4 (1022)



Clad M.O. (mm)	7-6 3/4 (2306)	9-0 3/4 (2763)	12-0 3/4 (3677)
Wood M.O. (mm)	7-9 3/8 (2373)	8-9 3/8 (2677)	12-3 3/8 (3744)
R.O. (mm)	7-7 1/4 (2319)	9-11/4 (2776)	12-1 1/4 (3690)
Frame Size (mm)	7-6 1/4 (2293)	9-0 1/4 (2750)	12-0 1/4 (3665)
Glass Size (mm)	22 1/4 (565)	28 1/4 (718)	40 1/4 (1022)



NOTES:






- O: STATIONARY X: OPERATING L: LEFT HAND R: RIGHT HAND
- R=Retro Size
- Lite patterns shown are for standard grilles, SDL and ADL in 6-6 and 6-8 heights. The standard lite pattern for 8-0 height is a 6 high lite cut.
- All glass is tempered
- Right or left hand operation is determined by the direction the door panel travels to open position, as viewed from exterior. OXXO can be ordered Left active or Right active
- * Available in clad 6-8 height only.
- Please contact your local Marvin® representative for masonry openings that include casings and subsills.

Clad Ultimate Sliding French Door: **CUSFD**
 Wood Ultimate Sliding French Door: **WUSFD**






ULTIMATE SLIDING FRENCH DOOR

6-8 HEIGHT (7-0 AND 8-0 HEIGHT SEE BELOW)




Clad M.O. (mm)	2-7 15/16 (811)	3-1 15/16 (964)	4-1 15/16 (1268)	4-11/2 (1511)	5-1 1/8 (1553)
Wood M.O. (mm)	2-10 9/16 (878)	3-4 9/16 (1030)	4-4 9/16 (1335)	5-2 1/8 (1578)	5-3 3/4 (1619)
R.O. (mm)	2-8 7/16 (824)	3-2 7/16 (976)	4-2 7/16 (1281)	5-0 (1524)	5-15/8 (1565)
Frame Size (mm)	2-7 7/16 (799)	3-17/16 (951)	4-17/16 (1256)	4-11 (1499)	5-0 5/8 (1540)
Glass Size (mm)	20 29/32 (531)	26 29/32 (683)	38 29/32 (988)	22 1/4 (565)	23 1/16 (586)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)					
	2668	3068	4068	50R68	5068
	2670	3070	4070	50R70	5070
	2680	3080	4080	50R80	5080




Clad M.O. (mm)	5-11 1/2 (1816)	6-1 1/8 (1857)	6-5 1/2 (1969)	7-11/2 (2426)	8-1 1/8 (2467)
Wood M.O. (mm)	6-2 1/8 (1883)	6-3 3/4 (1924)	N/A	8-2 1/8 (2492)	8-3 3/4 (2534)
R.O. (mm)	6-0 (1829)	6-1 5/8 (1870)	6-6 (1981)	8-0 (2438)	8-15/8 (2480)
Frame Size (mm)	5-11 (1803)	6-0 5/8 (1845)	6-5 (1956)	7-11 (2413)	8-0 5/8 (2454)
Glass Size (mm)	28 1/4 (718)	29 1/16 (738)	31 1/4 (794)	40 1/4 (1022)	41 1/16 (1043)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)					
	60R68	6068	6668*	80R68	8068
	60R70	6070		80R70	8070
	60R80	6080		80R80	8080

Clad M.O. (mm)	7-9 1/4 (2368)	9-3 1/4 (2825)	12-3 1/4 (3739)
Wood M.O. (mm)	7-11 7/8 (2434)	9-5 7/8 (2892)	12-5 7/8 (3806)
R.O. (mm)	7-9 3/4 (2380)	9-3 3/4 (2838)	12-3 3/4 (3852)
Frame Size (mm)	7-8 3/4 (2355)	9-2 3/4 (2813)	12-2 3/4 (3727)
Glass Size (mm)	23 1/16 (586)	29 1/16 (738)	41 1/16 (1043)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)			
	7668	9068	12068
	7670	9070	12070
	7680	9080	12080

Clad M.O. (mm)	9-11 1/2 (3035)	11-11 1/2 (3645)	15-11 1/2 (4864)
Wood M.O. (mm)	10-2 1/8 (3102)	12-2 1/8 (3712)	16-2 1/8 (4931)
R.O. (mm)	10-0 (3048)	12-0 (3658)	16-0 (4877)
Frame Size (mm)	9-11 (3023)	11-11 (3632)	15-11 (4851)
Glass Size (mm)	23 1/16 (586)	29 1/16 (738)	41 1/16 (1043)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)			
	10068	12068	16068
	10070	12070	16070
	10080	12080	16080

NOTES:

- O: STATIONARY X: OPERATING L: LEFT HAND R: RIGHT HAND
- R=Retro Size
- Lite patterns shown are for standard grilles, SDL and ADL in 6-6 and 6-8 heights. The standard lite pattern for 8-0 height is a 6 high lite cut.
- All glass is tempered
- Right or left hand operation is determined by the direction the door panel travels to open position, as viewed from exterior. OXXO can be ordered Left active or Right active
- * Available in clad 6-8 height only.
- Please contact your local Marvin® representative for masonry openings that include casings and subsills.



7-0 AND 8-0 HEIGHT		
	7-0 Height	8-0 Height
Clad M.O. (mm)	7-2 1/4 (2191)	7-11 3/4 (2432)
Wood M.O. (mm)	7-3 9/16 (2224)	8-1 1/16 (2465)
R.O. (mm)	7-2 1/2 (2197)	8-0 (2438)
Frame Size (mm)	7-2 (2184)	7-11 1/2 (2426)
Glass Size (mm)	71 7/16" (1815)	80 15/16" (2056)

NOT TO SCALE

ULTIMATE SLIDING FRENCH DOOR TRANSOMS




1 FRAME 1 SASH 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad M.O. (mm)	2-7 15/16 (811)	3-1 15/16 (964)	4-1 15/16 (1268)	5-1 1/8 (1553)	6-1 1/8 (1857)	8-1 1/8 (2467)
Wood M.O. (mm)	2-10 9/16 (878)	3-4 9/16 (1030)	4-4 9/16 (1335)	5-3 3/4 (1619)	6-3 3/4 (1924)	8-3 3/4 (2534)
R.O. (mm)	2-8 7/16 (824)	3-2 7/16 (976)	4-2 7/16 (1281)	5-1 5/8 (1565)	6-1 5/8 (1870)	8-1 5/8 (2480)
Frame Size (mm)	2-7 7/16 (799)	3-1 7/16 (951)	4-1 7/16 (1256)	5-0 5/8 (1540)	6-0 5/8 (1845)	8-0 5/8 (2454)
Glass Size (mm)	20 29/32 (531)	26 29/32 (683)	38 29/32 (988)	50 3/32 (1272)	62 3/32 (1577)	86 3/32 (2187)

1-6 1/4 (464)						
1-8 1/4 (514)	2616	3016	4016	5016	6016	8016
1-6 1/2 (470)	2620	3020	4020	5020	6020	8020
1-6 (457)	2626	3026	4026	5026	6026	8026
10 5/8 (270)						




1 FRAME 1 SASH WITH CENTER STILE 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad M.O. (mm)	5-1 1/8 (1553)	6-1 1/8 (1857)	8-1 1/8 (2467)
Wood M.O. (mm)	5-3 3/4 (1619)	6-3 3/4 (1924)	8-3 3/4 (2534)
R.O. (mm)	5-1 5/8 (1565)	6-1 5/8 (1870)	8-1 5/8 (2480)
Frame Size (mm)	5-0 5/8 (1540)	6-0 5/8 (1845)	8-0 5/8 (2454)
Glass Size (mm)	23 1/16 (586)	26 29/32 (683)	41 1/16 (1043)

1-6 1/4 (464)			
1-8 1/4 (514)	5016	6016	8016
1-6 1/2 (470)	5020	6020	8020
1-6 (457)	5026	6026	8026
10 5/8 (270)			




1 FRAME 2 SASH WITH CENTER STILE 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad M.O. (mm)	7-9 1/4 (2369)	9-3 1/4 (2826)	12-3 1/4 (3740)
Wood M.O. (mm)	7-11 7/8 (2435)	9-5 7/8 (2892)	12-5 7/8 (3807)
R.O. (mm)	7-9 3/4 (2381)	9-3 3/4 (2838)	12-3 3/4 (3753)
Frame Size (mm)	7-8 3/4 (2356)	9-2 3/4 (2813)	12-2 3/4 (3727)
Glass Size (mm)	23 1/16 (586)	29 1/16 (738)	41 1/16 (1043)

1-6 1/4 (464)			
1-8 1/4 (514)	7616	9016	12016
1-6 1/2 (470)	7620	9020	12020
1-6 (457)	7626	9026	12026
10 5/8 (270)			

1 FRAME 2 SASH WITH 2 CENTER STILE 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad M.O. (mm)	9-11 1/2 (3035)	11-11 1/2 (3645)	15-11 1/2 (4864)
Wood M.O. (mm)	10-2 1/8 (3102)	12-2 1/8 (3712)	16-2 1/8 (4931)
R.O. (mm)	10-0 (3048)	12-0 (3658)	16-0 (4877)
Frame Size (mm)	9-11 (3023)	11-11 (3632)	15-11 (4851)
Glass Size (mm)	23 1/16 (586)	29 1/16 (738)	41 1/16 (1043)

1-6 1/4 (464)			
1-8 1/4 (514)	10016	12016	16016
1-6 1/2 (470)	10020	12020	16020
1-6 (457)	10026	12026	16026
10 5/8 (270)			

NOTES:

- Some transoms available factory mull.
- For stand alone wood units in masonry openings add 11/16" (17) to the masonry opening height only.
- Please contact your local Marvin® representative for information on structural mulling guidelines.
- Please contact your local Marvin representative for masonry openings that include casings and subsills.

2-0 AND 2-6 HEIGHTS:		
	2-0 Height	2-6 Height
Clad M.O. (mm)	2-0 1/4 (616)	2-6 1/4 (768)
Wood M.O. (mm)	2-2 1/4 (667)	2-8 1/4 (819)
R.O. (mm)	2-0 1/2 (622)	2-6 1/2 (775)
Frame Size (mm)	2-0 (610)	2-6 (762)
Glass Size (mm)	16 5/8" (422)	22 5/8" (575)

Clad Ultimate Sliding French Door Transom: **CUSFT**
 Wood Ultimate Sliding French Door Transom: **WUSFT**